



Jetspeed-2 Security Components v.2.1.3

Project Documentation

Table of Contents

1 Jetspeed-2 Security Documentation	
1.1 Overview	1
1.2 Architecture Overview	3
1.3 Authentication	5
1.3.1 Login Module	7
1.3.2 Authentication SPI	9
1.3.3 Credentials Management	11
1.4 Authorization	19
1.4.1 JAAS Authorization	20
1.4.2 PermissionManager Overview	23
1.4.3 Authorization/Security Mapping SPI	25
1.4.4 Hierarchy Management	27
1.5 High Level Security Services	30
1.6 Security Services Configuration	32
1.7 LDAP Configuration	38
2 Misc.	
2.1 Tasks	66

1.1 Overview

Overview

Jetspeed 2 security architecture provides a comprehensive suite of security services that can be used to protect a wide ranging type of portal resources. The security service implementation is fairly independent of the other portal services and can be reused outside of the portal application. At its core, Jetspeed 2 security services rely entirely on JAAS to provide authentication and authorization services to the portal:

- Authentication services are implemented through the use of JAAS login modules.
- Authorization services are implemented through the use of custom JAAS policies.

Both authentication and authorization services have been implemented with the goal of providing a direct plugin to the underlying application server security framework. Jetspeed 2 can leverage the underlying application server login module as well as through the use of JACC, the application server policy management capabilities available in J2EE 1.4 (see [API Specifications](#)).

Jetspeed 2 Security Services


JAAS defines the contract for authentication and authorization but does not specify any guidelines for the management of the security resources. Jetspeed 2 provide a modular set of components aims at providing management functionality for the portal security components.

Leveraging Jetspeed 2 component, architecture, the security services provide a set of loosely coupled components providing specialized services:

- UserManager: Service providing user management capabilities.
- GroupManager: Service providing group management capabilities.
- RoleManager: Service providing role management capabilities.
- PermissionManager: Service providing permission management capabilities.

A Modular and Pluggable Architecture

Jetspeed 2 security components are assembled using [Dependency Injection](#) . By default, Jetspeed uses the [Spring Framework](#) as its default IoC container.



Jetspeed 2 security services are founded on a set of modular and

extensible security modules exposed through an SPI model. The SPI model provides the ability to modify the behavior of the Jetspeed coarsened security services (UserManager, RoleManager, GroupManager) through the modification and configuration of specialized handlers. For instance, Jetspeed security services can be configured to retrieve user security principals through the default Jetspeed store or through an LDAP store or both.

A `SecurityProvider` exposes the configured SPI handlers to the security services. Jetspeed component assembly (based on Spring) architecture provides an easy way to reconfigure the security services to satisfy the needs of a specific implementation.

Role Based Access Control

Role based access control (RBAC) in Jetspeed 2 support multiple hierarchy resolution strategies as defined in [The Uses of Hierarchy in Access Control](#). See [Hierarchy Management Overview](#) for more information.


1.2 Architecture Overview

Architecture Overview

Jetspeed 2 security leverages J2EE authentication and authorization standards for both authentication and authorization through the implementation of a default `LoginModule` and a default authorization `Policy`.

Authentication establishes the identity of the user and populates the `Subject` with all the user principals. In a portal context, the populated `Subject` is added to the session in the `org.apache.jetspeed.security.SecurityValve` implementation. The `Subject` principals are then used to authorize the user's access to a given resource. It leverages JAAS authorization by checking the user's permission with the `AccessController`. More details on authorization are provided in the [JAAS authorization section](#) of this documentation.

The following diagram describes the high level security architecture:




Configuration files for each component areas are specified. For more information, go to the documentation section on [configuration](#) .

Jetspeed security architecture is fully JAAS compliant. Developers can replace Jetspeed security architecture with their own `LoginModule` and `Policy` implementation. Jetspeed implementation provides management programming and user interfaces as well as an SPI model to facilitate its extension.

1.3 Authentication

Authentication Architecture Overview

For authentication, Jetspeed 2 leverages Java [LoginModule](#) architecture. It provides a [DefaultLoginModule](#) implementation and a flexible architecture to be able to authenticate user against multiple user repositories and provide user management capabilities across those repository. A `UserManager` provides a set of coarsed services for authenticating and managing users. The class diagram below illustrates how the `UserManager` provides authentication to the `DefaultLoginModule` and leverages the [Authentication SPI](#) to interact with various implementation and user stores.



The various components described above fulfill the following functions:

Component	Description
DefaultLoginModule	Jetspeed 2 default LoginModule implementation which leverages the <code>authenticate()</code> method of the <code>UserManager</code> to provide authentication against the various <code>AuthenticationProvider</code> implementation currently configured.
UserManager	Coarsed service providing authentication and user management. The <code>UserManager</code> leverages the various <code>AuthenticationProvider</code> implementations exposed to it through the <code>AuthenticationProviderProxy</code> through the <code>SecurityProvider</code> .
SecurityProvider	Provides access to the security providers exposing SPI implementation to the coarsed security services.

Component	Description
AuthenticationProviderProxy	A proxy to the various AuthenticationProvider implementations. The AuthenticationProviderProxy is responsible of invoking the correct AuthenticationProvider to authenticate or manage a specific user against a specific data store.

1.3.1 Login Module

Login Module Overview

For authentication purpose, Jetspeed 2 provide a default login module implementation. Login modules provide a standard way to expose authentication services for java application. More information about login modules can be found in the JDK [LoginModule interface](#) documentation.

Login Module Configuration

Configuration is central to JAAS authentication. By default, Jetspeed 2 is configured to use its DefaultLoginModule implementation. The configuration file (login.conf) for the login module ship with the jetspeed2-security-{version}.jar component and provide the following configuration:

```
Jetspeed {  
    org.apache.jetspeed.security.impl.DefaultLoginModule required;  
};
```

In order to override this configuration, you can place your own login.conf file in your web application class path under WEB-INF/classes. The location of the login.conf file is configured in the security-providers.xml as described below. For more information on how to configure the security providers, see [the configuration section](#) .

```
<!-- Security: Default Authentication Provider -->  
<bean id="org.apache.jetspeed.security.AuthenticationProvider"  
    class="org.apache.jetspeed.security.impl.AuthenticationProviderImpl"  
>  
    <constructor-arg index="0"><value>DefaultAuthenticator</value></constructor-arg>  
    <constructor-arg index="1"><value>The default  
authenticator</value></constructor-arg>  
    <constructor-arg index="2"><value>login.conf</value></constructor-arg>  
    <constructor-arg index="3">  
        <ref bean="org.apache.jetspeed.security.spi.CredentialHandler"/>  
    </constructor-arg>  
    <constructor-arg index="4">  
        <ref bean="org.apache.jetspeed.security.spi.UserSecurityHandler"/>  
    </constructor-arg>  
</bean>
```

The `AuthenticationProvider` configures the `LoginModule` to be used by the application by setting the System property `java.security.auth.login.config` to the `login.conf` specified in the component configuration.

Login Module Implementation

The `DefaultLoginModule` implementation is illustrated by the class diagram below:

The roles of the classes used to implement the `DefaultLoginModule` are:


Class	Description
<code>org.apache.jetspeed.security.impl.DefaultLoginModule</code>	The <code>javax.security.auth.spi.LoginModule</code> implementation. The <code>DefaultLoginModule</code> authentication decision is encapsulated behind the <code>UserManager</code> interface which leverages the SPI implementation to decide which authenticator should be used in order to authenticate a user against a specific system of record. For more information on how to implement your own authenticator, see the authentication SPI documentation .
<code>org.apache.jetspeed.security.LoginModuleProxy</code>	A utility component used to expose the <code>UserManager</code> to the <code>DefaultLoginModule</code> .
<code>org.apache.jetspeed.security.User</code>	The <code>User</code> is an interface that holds the <code>javax.security.auth.Subject</code> and his/her <code>java.util.prefs.Preferences</code> . The <code>UserManager</code> upon user authentication populates the user subject with all user <code>java.security.Principal</code> . Jetspeed 2 implements 3 types of principals: <ul style="list-style-type: none"> • <code>UserPrincipal</code>: The principal holding the user unique identifier for the application. • <code>RolePrincipal</code>: The principal representing a role for the system. • <code>GroupPrincipal</code>: The principal representing a group for the system.
<code>org.apache.jetspeed.security.UserManager</code>	The interface exposing all user operations. This interface fronts the aggregates various SPI to provide developers with the ability to map users to their specific system of record.

1.3.2 Authentication SPI

Authentication SPI Overview

The authentication SPI provides the implementation for managing user principals and their credentials and provides the underlying `UserManager` coarsened service implementation.

The authentication SPI also provides a mechanism for managing users across multiple data store. The class diagram below describes how the authentication SPI relates to the `UserManager`.



Authentication SPI Components

The authentication SPI implements the following components:

Component	Description
<code>AuthenticationProviderProxy</code>	A proxy to the various <code>AuthenticationProvider</code> implementations. The <code>AuthenticationProviderProxy</code> is responsible of invoking the correct <code>AuthenticationProvider</code> to authenticate or manage a specific user against a specific data store.
<code>AuthenticationProvider</code>	Exposes a specific authentication and user management services implementation. Jetspeed 2 provides 2 implementations: RDBMS and LDAP. Multiple authentication providers can be provided through configuration. For more information, see the security providers configuration.

Component	Description
CredentialHandler	See security-spi-atn.xml configuration.
UserSecurityHandler	See security-spi-atn.xml configuration.

1.3.3 Credentials Management

Credentials Management Overview

DefaultCredentialHandler Features

With the Jetspeed [DefaultCredentialHandler](#) special management of password credentials can easily be configured. Through the provided [PasswordCredentialProvider](#) and [InternalPasswordCredentialInterceptor](#) components custom logic can be plugged in for:

- providing a custom [PasswordCredential](#) implementation
- password encoding
If an [CredentialPasswordEncoder](#) is available from the [PasswordCredentialProvider](#) passwords will be encoded with it before they are persisted. The provided [MessageDigestCredentialPasswordEncoder](#) uses [MessageDigest](#) hash algorithms for the password encryption, and can for example be configured to use SHA-1 and Base64.
- enforcing password value rules
If an [CredentialPasswordValidator](#) is available from the [PasswordCredentialProvider](#), passwords will be validated with it before they are persisted. The [DefaultCredentialPasswordValidator](#) for example enforces non-empty password. And with the [SimpleCredentialPasswordValidator](#) a minimum length and a minimum number of numeric characters can be enforced.
- intercepting [InternalCredential](#) lifecycle events
If the [DefaultCredentialHandler](#) is provided with an [InternalPasswordCredentialInterceptor](#), it will invoke this interceptor (or an arbitrary set if [InternalPasswordCredentialInterceptorsProxy](#) is used) on:
 - after loading a credential from the persistent store
 - after authenticating a user
 - before a new credential is saved to the persistent store
 - before a new password is save for the credential

Jetspeed already provides a basic set of interceptors, ready to be used:

- [ValidatePasswordOnLoadInterceptor](#)
This interceptor can be used to validate (pre)set passwords in the persistent store and force a required change by the user if invalid. It uses the configured [CredentialPasswordValidator](#) of the [PasswordCredentialProvider](#), the same as used when a password is changed.
- [EncodePasswordOnFirstLoadInterceptor](#)
This interceptor can be used if passwords needs to be preset in the persistent store or migrated unencoded from a different store. With this interceptor, these cleartext password will

automatically be encoded the first time they are loaded from the database, using the `CredentialPasswordEncoder` from the `PasswordCredentialProvider`

- [PasswordExpirationInterceptor](#)

This interceptor can be used to enforce a maximum lifespan for passwords. It manages the `expiration_date` and `is_expired` members of the `InternalCredential` and sets the expired flag when on authentication of a user its (valid) password is expired. The authentication will then fail.

Note: A Jetspeed pipeline Valve, the `PasswordCredentialValveImpl` can be used to request or even enforce users to change their password in time to prevent a password expiration (described further below).

- [MaxPasswordAuthenticationFailuresInterceptor](#)

This interceptor can be used to prevent password hacking by enforcing a maximum number of invalid password attempts in a row. Once this number of authentication failures is reached, the credential will be disabled. On a successful authentication though, this count will automatically be reset to zero again by the `DefaultCredentialHandler`.

- [PasswordHistoryInterceptor](#)


This interceptor can be used to enforce usage of unique new passwords in respect to a certain number of previous used passwords. When a new password is set, the current password is saved in a FIFO stack of used passwords. When a user itself changes its password, it must be different from all the ones thus saved, otherwise a [PasswordAlreadyUsedException](#) will be thrown. But setting a new password through the administrative interface still allows any password (when otherwise valid) to be set.

The `DefaultCredentialHandler` only supports one interceptor to be configured. But, with the [InternalPasswordCredentialInterceptorsProxy](#), a list of interceptors can be configured which then will be invoked sequentially.

Jetspeed comes out of the box with several of these interceptors configured, and its very easy to change and extend. See the [security-spi-atn.xml](#) section in the [Security Services Configuration](#) document for a description of the default configuration. Also provided there is an example how to setup the interceptors to restore the "old" (and much more restrict) configuration provided with the 2.0-M3 release and earlier.

Credentials Management Implementation


The class diagram below describes the components used for the `DefaultCredentialHandler` implementation.



The OJB mappings for the default credentials implementation are described in `security_repository.xml`:

- `InternalCredential`: Maps to the `SECURITY_CREDENTIAL` table.

The following database schema is used to stored credentials and their associations to principals.



User interaction

Although the `DefaultCredentialHandler` provides fine-grained management of credentials, it cannot provide direct feedback to the user like presenting a warning that the current password is soon to be expired. But, special request processing pipeline valves provided with jetspeed allow to do just that.

The configuration for these valves can be found and set in the `pipelines.xml` spring configuration file.

LoginValidationValveImpl

The `LoginValidationValveImpl` provides feedback to the user about the cause of an failed login attempt.

It retrieves the `UserPrincipal` and its current `PasswordCredential` for the specified user name, and (if found) determines an specific error code based on its state. This error code is communicated back to through the session so an appropriate error message can be presented to the user.

The following possible error codes can be returned (all defined in the `LoginConstants` interface):

1. `ERROR_UNKNOWN_USER`
2. `ERROR_INVALID_PASSWORD`
3. `ERROR_USER_DISABLED`
4. `ERROR_FINAL_LOGIN_ATTEMPT`

5. ERROR_CREDENTIAL_DISABLED

6. ERROR_CREDENTIAL_EXPIRED

Of the above error codes, the `ERROR_FINAL_LOGIN_ATTEMPT` will only be reported if the valve is configured with the same `maxNumberOfAuthenticationFailures` value as used for the related `MaxPasswordAuthenticationFailuresInterceptor` described above:

```
<bean id="loginValidationValve"
  class="org.apache.jetspeed.security.impl.LoginValidationValveImpl"
  init-method="initialize">
  <!-- maxNumberOfAuthenticationFailures
    This value should be in sync with the value for
    org.apache.jetspeed.security.spi.impl.MaxPasswordAuthenticationFailuresInterceptor
    (if used) to make sense.
    Any value < 2 will suppress the LoginConstants.ERROR_FINAL_LOGIN_ATTEMPT
    error code when only one last attempt is possible before the credential
    will be disabled after the next authentication failure.
  -->
  <constructor-arg index="0"><value>3</value></constructor-arg>
</bean>
```

PasswordCredentialValveImpl

The [PasswordCredentialValveImpl](#) is meant to be used together with a special Portlet on a special Portal Page (PSML) to automatically request or even require a user to change its password.

This valve evaluates `PasswordCredential.isUpdateRequired()` and optionally the `expirationDate`, `lastAuthenticationDate` and `previousAuthenticationDate` fields to determine if a user is required or just be asked to change its password.

This valve can optionally be configured with a list of `expirationWarningDays` numbers in its constructor:

```
<bean id="passwordCredentialValve"
  class="org.apache.jetspeed.security.impl.PasswordCredentialValveImpl"
  init-method="initialize">
<constructor-arg>
  <!-- expirationWarningDays -->
  <list>
    <value>2</value>
    <value>3</value>
    <value>7</value>
  </list>
</constructor-arg>
</bean>
```

These numbers each represent a day before the current `expirationDate` of the password credential when a user should be warned its password is soon to expire and be asked to change it. The `lastAuthenticationDate` and the `previousAuthenticationDate` are used to determine when

this should happen. It will be done only once for each configured `expirationWarningDay`. If a user logs on for the first time (after several days) with the above example configuration, 6 days before the password expires, he or she will be warned about it. And again when 3 or 2 days are left.

When a user logs on the last day before the password expires *or* when `updateRequired` is `true`, the user will be required to change the password, regardless if `expirationWarningDays` are configured or not.

To be able to automatically provide the user with this information and allow or require the password to be changed directly after login, a special `ProfileLocator` `SECURITY_LOCATOR` is used. The `PageProfilerValve` (which should be configed *after* this valve in the pipeline) will then use this enforced locator to be used to find the related portal page to present to the user.

For this to work, a "security" Profiler rule must have been setup like the default one provided by Jetspeed:



As can be seen from the above image, the default page which will be presented to the user is the `/my-account.psml` located in the root.

This default page contains only one portlet, the `ChangePasswordPortlet` from the security Portlet Application.

The `ChangePasswordPortlet` works together with the `PasswordCredentialValveImpl` as it checks for the `PASSWORD_CREDENTIAL_DAYS_VALID_REQUEST_ATTR_KEY` request parameter which will be set by this valve with the number of days the password is still valid. For a required password change this will be set to `Integer(0)`.

The default `my-account.psml` page contains *only* the `ChangePasswordPortlet` to make sure a user which is *required* to change the password cannot interact with the portal any other way then after the password is changed.

Although the user might be attempted to select a link to a different page (from a portal menu for exampl), this valve will make sure only the configured "security" locator page is returned if it is required. But, once the password is changed the then targeted page in the url will be navigated to automatically.

Managing Password Expiration

If the `PasswordExpirationInterceptor` is used, password expiration for a certain user can be directly managed through the `UserDetailPortlet` provided with the `security` portlet application.

If enabled, this portlet can display the current expiration date of a password and also allows to change its

value:

The screenshot shows the 'User Detail Information' portlet for a user named 'USER'. It has tabs for 'Attributes', 'Password', 'Role', 'Group', and 'Profile'. The 'Password' tab is active, showing a text input field for the password value, a checkbox for 'change required at next logon', a 'Last Logon' field, a 'Expires' field set to 'January 1, 8099 12:00:00 AM CET', and a radio group with options 'active', 'expired', 'Extend', and 'Extend Unlimited'. The 'active' option is selected. There are 'Update', 'Add New User', and 'Remove User' buttons at the bottom.

As you can see, through the radio group, the password expiration date can be changed to:

Action	Expires
Expired	today
Extend	today + maxLifeSpanInDays as configured for the PasswordExpirationInterceptor
Extend Unlimited	January 1, 8099 (the maximum value allowed for java.sql.Date)

This feature can be enabled through the edit/preferences page of the UserDetailsPortlet:

The screenshot shows the 'User Detail Preferences' portlet. It contains a list of settings with checkboxes and dropdown menus. The settings are: 'Show User Tab' (unchecked), 'Show Attributes Tab' (checked), 'Show Password Tab' (checked), 'Show Password Expiration' (checked), 'Show Role Tab' (checked), 'Show Group Tab' (checked), 'Show Profile Tab' (checked), 'Show Password on User Tab' (unchecked), 'Define default "Change Password Required on First Login" for new User' (unchecked), 'Define default Role for new User' (unchecked), 'Define default Profile for new User' (unchecked), 'Default "Change Password Required on First Login"' (checked), 'Default Role for new User' (dropdown set to 'user'), and 'Default Profile for new User' (dropdown set to 'role-fallback'). A 'Save' button is at the bottom.


Note: when a new password value is specified selected password expiration action `Expired` will be ignored!

Setting default 'Change Password required on First Login'

Through the same `UserDetailsPortlet` preferences as show above, the default `updateRequired` property of a password credential for a new user can be configured too.

And, if you always need the same setting for all users, you can even suppress the selection box normally displayed on the `Add User` dialog.

With the preferences set as in the example shown above, the `Add User` dialog will look like this:



The screenshot shows a web application window titled "User Detail Information" with standard window controls (minimize, maximize, close) in the top right corner. Below the title bar is a dark blue header with the text "Add User" in white. The main content area is light gray and contains two input fields: "New User Name:" followed by a text box, and "Password:" followed by a text box. Below these fields is a button labeled "Add User".

A user added with the example preferences set, will have the `updateRequired` property set to true, the `User` role assigned and use the `role-fallback` profiling rule.

1.4 Authorization

Authorization Overview

For authorization, Jetspeed 2 implements its own `java.security.Policy` using a relation database store to manage associations between principals and permissions.



The `PermissionManager` provides access to the permissions associated to given principals.

- The [JAAS Authorization](#) provides an overview of the authorization aspect of JAAS.
- The [PermissionManager Overview](#) documents the `PermissionManager` implementation.

1.4.1 JAAS Authorization

Overview of JAAS Authorization

A good overview of JAAS authorization is provided on [Sun's web site](#) . At a high level, JAAS authorization leverages:

- **Permission** that associates actions to resources.
- **Principal** that represents an entity in the system. In Jetspeed 2, 3 principals are used to represent users, roles and groups.
- **Policy** that associates principals to permissions.

Jetspeed 2 provides a custom policy implementation that allow the portal to secure resources as follow:

```
grant principal o.a.j.security.UserPrincipal "theUserPrincipal" {
  permission o.a.j.security.PagePermission "mypage", "view";
  permission o.a.j.security.PortletPermission "myportlet",
"view,edit,minimize,maximize";
  permission o.a.j.security.TabPermission "mytab", "view";
};

grant principal o.a.j.security.RolePrincipal "theRolePrincipal" {
  permission o.a.j.security.PagePermission "mypage", "view";
  permission o.a.j.security.PortletPermission "myportlet",
"view,edit,minimize,maximize";
  permission o.a.j.security.TabPermission "mytab", "view";
};

grant principal o.a.j.security.GroupPrincipal "theGroupPrincipal" {
  permission o.a.j.security.PagePermission "mypage", "view";
  permission o.a.j.security.PortletPermission "myportlet",
"view,edit,minimize,maximize";
  permission o.a.j.security.TabPermission "mytab", "view";
};
```

The custom security policy provides a `java.security.Policy` implementation that stores the association between principals and permissions in a relational database as opposed to leveraging the default JDK policy. In the case of Sun's JDK, the default policy is `sun.security.provider.PolicyFile` a file based policy.

In the code sample above, the `UserPrincipal` identify with the `Principal.getName()` "theUserPrincipal" has permission to "view" the page called "mypage", to "view,edit,minimize,maximize" the portlet portlet called "myportlet"

The `AccessController` validates a Subject permissions. For instance, a page permission check would perform the following check:

```
PagePermission permission = new PagePermission(path, actions);
AccessController.checkPermission(permission);
```


Jetspeed JAAS Policy

The `RdbmsPolicy` implements `java.security.Policy`. It leverages the `PermissionManager` to get the permissions associated with a given Subject principals.

```
pms.getPermissions(user.getPrincipals());
```

The class diagram below illustrate the association between the `RdbmsPolicy` and the `PermissionManager`.

A good article on custom policies implementation is available on [IBM web site](#).



To get more detail about the implementation of the `PermissionManager`, see [PermissionManager Overview](#).

Note: The current `RdbmsPolicy` manages the policies to apply. It applies `RdbmsPolicy` in conjunction with the default policy configured in the runtime environment. Jetspeed 2 should explore providing `JACC` adapters for its custom policy for specific application servers.

Authorization Provider and Policy Configuration

The `AuthorizationProvider` configures the authorization policies to be used by Jetspeed 2 and keeps the list of such policies in the `SecurityPolicies` singleton. The `RdbmsPolicy` when getting the permissions for access control will execute its policy as well as all the policies configured in `SecurityPolicies`. If the `AuthorizationProvider` was constructed with `useDefaultPolicy`

set to true, the default JDK or application server policy will be applied when getting the permissions.


Note: The `RbmsPolicy` permission check is concerned about the principals associated to the `Subject`, therefore when performing an access control check, the check should be performed with the following call: `doAsPrivileged(theSubject, anAction, null)`. By passing a null `AccessControlContext`, the caller is essentially saying: "I don't care who called me, the only important thing is whether I have permission when associated with the given subject".

1.4.2 PermissionManager Overview


PermissionManager Overview

The `PermissionManager` is used by the `RdbmsPolicy` to get the permissions for a given user principals as presented in the [Jetspeed JAAS Policy](#) section of the documentation.

The `PermissionManager` manages the association between permissions and principals. Each permission or principal maps to a generic object model and reflexion is used to instantiate the proper permission or principal type. The class diagram below represents the interfaces representing a generic permission (`InternalPermission`) and a generic principal (`InternalPrincipal`) and their relation to the `PermissionManager`.



Each `InternalPermission` maps to one or more `InternalPrincipal` and, each `InternalPrincipal` can have one or more `InternalPermission`.



Schema and OJB Mapping

The OJB mappings for the security component are described in security_repository.xml:


- InternalPrincipal: Maps to the SECURITY_PRINCIPAL table.
- InternalPermission: Maps to the SECURITY_PERMISSION table.
- Associations between InternalPrincipal and InternalPermission are maintained through the indirection table PRINCIPAL_PERMISSION.

```

<class-descriptor
    class="org.apache.jetspeed.security.om.impl.InternalPrincipalImpl"
    proxy="dynamic"
    table="SECURITY_PRINCIPAL"
>...</class-descriptor>

<class-descriptor
    class="org.apache.jetspeed.security.om.impl.InternalPermissionImpl"
    proxy="dynamic"
    table="SECURITY_PERMISSION"
>...</class-descriptor>
    
```

The relational schema maintaining principal to permission associations is provided below:




1.4.3 Authorization/Security Mapping SPI


Authorization/Security Mapping SPI Overview

The authorization SPI provides the implementation to support Jetspeed 2 users, roles and groups associations and the roles/groups hierarchy policy. It provides the underlying mechanism to support the implementation of the `RoleManager` and `GroupManager`.

As described in the [security overview](#), Jetspeed support hierarchical role based access control with configurable hierarchy policies.

First, let's have a look at a class diagram of the authorization SPI:





Authorization SPI Components

The authorization SPI implements the following components:

Component	Description
<code>org.apache.jetspeed.security.spi.SecurityMappingHandler</code>	See security-spi-atz.xml configuration.
<code>org.apache.jetspeed.security.HierarchyResolver</code>	See hierarchy management .
<code>org.apache.jetspeed.security.spi.RoleSecurityHandler</code>	See security-spi-atz.xml configuration.
<code>org.apache.jetspeed.security.spi.GroupSecurityHandler</code>	See security-spi-atz.xml configuration.

1.4.4 Hierarchy Management

Hierarchy Management Overview

Two hierarchy resolution strategies are supported for authorization decisions:

- **Hierarchy resolution by Generalization:** This is the default hierarchy resolution in Jetspeed. If a hierarchy uses a generalization strategy, each role is more general than the previous one. For instance, if a user has the role [roleA.roleB.roleC] then `user.getSubject().getPrincipals()` returns:
 - /role/roleA
 - /role/roleA/roleB
 - /role/roleA/roleB/roleC
- **Hierarchy resolution by Aggregation:** If a hierarchy uses an aggregation strategy, the higher role is responsible for a superset of the activities of the lower role. For instance, if the following roles are available:
 - roleA
 - roleA.roleB
 - roleA.roleB.roleC

If a user has the role [roleA] then, `user.getSubject().getPrincipals()` returns:

- /role/roleA
- /role/roleA/roleB
- /role/roleA/roleB/roleC

As described in the [authorization SPI section](#), the `SecurityMappingHandler` is configured with a specific hierarchy strategy for group and role hierarchy management. See the [authorization SPI configuration](#) for a configuration example.

Leveraging Preferences to Manage Hierarchies

The default hierarchy management implementation resolves the hierarchy strategy by leveraging Jetspeed 2's `java.util.prefs.Preferences` implementation. The `Preferences` implementation provides the underlying structure in Jetspeed to store user attributes, and roles and groups definitions. The `Preferences` model provides a hierarchy model that is leveraged to store the base roles and groups hierarchy upon which various resolving strategies can be applied (resolution by generalization or aggregation).

See Jetspeed 2 [Preferences implementation section](#) for more information.

How does this work?

The `SecurityMappingHandler` implementation resolves the mappings between roles and groups. Let's say that we want to find out the roles mapping to a specific group name. To do so, the `SecurityMappingHandler` implements a `getRolePrincipalsInGroup(String groupFullPathName)` method. In this method, the group name is mapped to a specific `Preferences` node. According to a given hierarchy resolution strategy (see [overview section](#)), being in [group A] may mean belonging to a set of groups; the `HierarchyResolver` is used to do so as illustrated below:

```
public Set getRolePrincipalsInGroup(String groupFullPathName)
{
    ...
    Preferences preferences = Preferences.userRoot().node(
        GroupPrincipalImpl.getFullPathFromPrincipalName(groupFullPathName));
    String[] fullPaths = groupHierarchyResolver.resolve(preferences);
    ...
}
```

The resulting groups are then used to find all associated roles.

As a result of this implementation, the name of a role principal (`Principal getName()`) in the security layer should match the full path of that user preferences root in the preferences layer (`Preference absolutePath()`; e.g: `/role/theRolePrincipal`).

Group and roles hierarchy are stored in the `Preferences` layer as follow (the output of `exportNode()` for [Jetspeed's RBMS Preferences](#) implementation):

```
<preferences EXTERNAL_XML_VERSION="1.0">
<root type="user">
<map />
  <node name="group1">
    <map />
      <node name="groupid1.1">
        <map />
          <node name="groupid1.1.1">
            <map />
          </node>
        </node>
      </node>
    </node>

    <node name="role1">
      <map />
        <node name="roleid1.1">
          <map />
            <node name="roleid1.1.1">
              <map />
            </node>
          </node>
        </node>
      </node>
    </node>
  </map>
</root>
```


This structure would define the following group and role hierarchy:

- /group1/groupid1.1/groupid1.1.1
- /role1/roleid1.1/roleid1.1.1

Additionally, in this model, the `map` element can define groups or roles custom properties. For instance, a role could have a `rule` custom property (or a pointer to a rule) that allow rule based role definition tied to some rule engine (Drools for instance) and is validated when the `isInRole` method is invoked. For groups, a portal could use `group` to describe organization and have custom property such as `address`, `city`, etc. associated with the `organization/group`.

1.5 High Level Security Services

High Level Security Services Overview

Jetspeed 2 provides the four following high level security services:

- `UserManager` : Service providing user management capabilities.
- `GroupManager` : Service providing group management capabilities.
- `RoleManager` : Service providing role management capabilities.
- `PermissionManager` : Service providing permission management capabilities.

Using High Level Security Services in Portlets

In order to access Jetspeed high level security services in your portlets, Jetspeed provide a custom extension to the `portlet.xml` metadata. All Jetspeed custom metadata is located in the `jetspeed-portlet.xml` configuration file in the `WEB-INF` folder of the portlet application. The custom `js:services` tag provides the ability to expose portal services to a portlet through the `javax.portlet.PortletContext`.

Jetspeed portal services are configured in the spring assembly file located in the portal `WEB-INF/assembly/jetspeed-services` configuration file. The `UserManager` for instance is configured as follow:

```

<!-- Portlet Services -->
<bean id="PortalServices"
      class="org.apache.jetspeed.services.JetspeedPortletServices" >
  <constructor-arg>
    <map>
      ...
      <entry key="userManager">
        <ref bean="org.apache.jetspeed.security.UserManager"/>
      </entry>
      ...
    </map>
  </constructor-arg>
</bean>

```

The `UserManager` services is then available to be loaded in a specific portlet `PortletContext`. Portlet developers need to specify the portal services they would like to use. The following example shows how to expose the portal `UserManager` to a portlet application:

```
<js:services>
```

```
<js:service name='userManager' />
</js:services>
```

Once a portal service is loaded in the portlet context, the portlet implementation (which typically extends `javax.portlet.GenericPortlet`) can access the service as follow:

```
PortletContext context = getPortletContext();
userManager = (userManager)
context.getAttribute(CommonPortletServices.CPS_USER_MANAGER_COMPONENT);
```

where `CommonPortletServices.CPS_USER_MANAGER_COMPONENT = "cps:userManager"`

1.6 Security Services Configuration

Default configuration

Jetspeed 2 default security services configuration leverages a relational database as its default persistent datastore for security information. Jetspeed 2 security service provider interface provides a mechanism to replace the default datastore configured.

3 files are involved when configuring Jetspeed 2 security SPI. All the SPI configuration files are located under ``${jetspeed-source-home}/portal/src/webapp/WEB-INF/assembly/``.

security-atn.xml

This configuration file provides the login module configuration. Not everyone needs this, as some application may decide to use another login module other than the one provided.

security-atz.xml

This configuration file configures the authorization policy, in J2's case [RdbmsPolicy](#).

security-managers.xml

This configuration file configures all the managers for security purpose.

security-providers.xml

This configuration file configures the various providers and weaves the SPI together.

- `AuthenticationProviderProxy`: Configures the list of `AuthenticationProvider` and the default authenticator.

```
<bean id="org.apache.jetspeed.security.AuthenticationProviderProxy"
      class="org.apache.jetspeed.security.impl.AuthenticationProviderProxyImpl">
  <constructor-arg >
    <list>
      <ref bean="org.apache.jetspeed.security.AuthenticationProvider"/>
    </list>
  </constructor-arg>
  <constructor-arg><value>DefaultAuthenticator</value></constructor-arg>
</bean>
```

- **AuthenticationProvider** : Configures the authentication providers for the current portal implementation. The example below configures the default authenticator that uses the RDBMS to manage/store user information.

```
<bean id="org.apache.jetspeed.security.AuthenticationProvider"
class="org.apache.jetspeed.security.impl.AuthenticationProviderImpl">
  <constructor-arg
index="0"><value>DefaultAuthenticator</value></constructor-arg>
  <constructor-arg index="1"><value>The default
authenticator</value></constructor-arg>
  <constructor-arg index="2"><value>login.conf</value></constructor-arg>
  <constructor-arg index="3">
    <ref bean="org.apache.jetspeed.security.spi.CredentialHandler"/>
  </constructor-arg>
  <constructor-arg index="4">
    <ref bean="org.apache.jetspeed.security.spi.UserSecurityHandler"/>
  </constructor-arg>
</bean>
```

- **AuthorizationProvider** : Configures the policies and instantiates the **SecurityPolicies** that are used for enforcing permissions. By default, Jetspeed 2 does not load any other security policies that may have been configured. In order to use default policies, set `useDefaultPolicy` to `true`

```
<bean id="org.apache.jetspeed.security.AuthorizationProvider"
      class="org.apache.jetspeed.security.impl.AuthorizationProviderImpl">
  <constructor-arg index="0">
    <ref bean="org.apache.jetspeed.security.impl.RdbmsPolicy"/>
  </constructor-arg>
  <!-- Does not use the default policy as a default behavior -->
  <constructor-arg index="1"><value>false</value></constructor-arg>
</bean>
```

security-spi.xml

This configuration file contains configuration that are common to the authentication and authorization SPIs.

Bean	Description
org.apache.jetspeed.security.spi.SecurityAccess	Used internally by the default OJB based SPI. Provide access to common action/methods for the various SPI implementations. The <i>SecurityAccess</i> bean is used by both the Authentication and Authorization SPIs.

security-spi-atn.xml

This configuration file contains all the configurations for configuring the authentication SPI.

Bean	Description
org.apache.jetspeed.security.spi.CredentialHandler	The <i>CredentialHandler</i> encapsulates the operations involving manipulation of credentials. The default implementation provides support for password protection as defined by the <i>PasswordCredentialProvider</i> ; as well as lifecycle management of credentials through <i>InternalPasswordCredentialInterceptor</i> which can be configured to manages parameters such as maximum number of authentication failures, maximum life span of a credential in days and how much history to retain for a given credential.
org.apache.jetspeed.security.spi.UserSecurityHandler	The <i>UserSecurityHandler</i> encapsulated all the operations around the user principals.

The following simple *CredentialHandler* configuration is currently provided by default with Jetspeed:

```

<!-- require a non-empty password -->
<bean id="org.apache.jetspeed.security.spi.CredentialPasswordValidator"
class="org.apache.jetspeed.security.spi.impl.DefaultCredentialPasswordValidator"/>

<!-- MessageDigest encode passwords using SHA-1 -->
<bean id="org.apache.jetspeed.security.spi.CredentialPasswordEncoder"
class="org.apache.jetspeed.security.spi.impl.MessageDigestCredentialPasswordEncoder">
  <constructor-arg index="0"><value>SHA-1</value></constructor-arg>
</bean>

<!-- allow multiple InternalPasswordCredentialInterceptors to be used for
DefaultCredentialHandler -->
<bean id="org.apache.jetspeed.security.spi.InternalPasswordCredentialInterceptor"
class="org.apache.jetspeed.security.spi.impl.InternalPasswordCredentialInterceptorsProxy">
  <constructor-arg index="0">
    <list>
      <!-- enforce an invalid preset password value in the persisent store is
required to be changed -->
      <bean
class="org.apache.jetspeed.security.spi.impl.ValidatePasswordOnLoadInterceptor"/>

      <!-- ensure preset cleartext passwords in the persistent store will be
encoded on first use -->
      <bean
class="org.apache.jetspeed.security.spi.impl.EncodePasswordOnFirstLoadInterceptor"/>
    </list>
  </constructor-arg>
</bean>

<bean id="org.apache.jetspeed.security.spi.PasswordCredentialProvider"
class="org.apache.jetspeed.security.spi.impl.DefaultPasswordCredentialProvider">
  <constructor-arg index="0">
    <ref bean="org.apache.jetspeed.security.spi.CredentialPasswordValidator"/>
  </constructor-arg>
  <constructor-arg index="1">
    <ref bean="org.apache.jetspeed.security.spi.CredentialPasswordEncoder"/>
  </constructor-arg>
</bean>

```

```

<bean id="org.apache.jetspeed.security.spi.CredentialHandler"
  class="org.apache.jetspeed.security.spi.impl.DefaultCredentialHandler">
  <constructor-arg index="0">
    <ref bean="org.apache.jetspeed.security.spi.SecurityAccess"/>
  </constructor-arg>
  <constructor-arg index="1">
    <ref bean="org.apache.jetspeed.security.spi.PasswordCredentialProvider"/>
  </constructor-arg>
  <constructor-arg index="2">
    <ref
bean="org.apache.jetspeed.security.spi.InternalPasswordCredentialInterceptor"/>
  </constructor-arg>
</bean>

```

The above configuration requires not much more than that a password should not be empty and MessageDigest encode it using SHA-1.

Before the 2.0-M4 release, Jetspeed came configured with a much stricter configuration, but for first time users of the Portal this was a bit overwhelming and also quite difficult to configure differently.

With the 2.0-M4 release, the previously provided, and rather complex, InternalPasswordCredentialInterceptor implementations are split up in single atomic interceptors which can much easier be configured independently.

An overview of the new interceptors and how related request processing pipeline valves can be configured to provide feedback to the user is provided in the [Credentials Management](#) document.

Since the "old" (pre 2.0-M4) interceptors are no longer provided with Jetspeed, the example below shows how to "restore" the old setup using the new interceptors:

```

<!-- require a password of minimum length 6 and at least two numeric characters -->
<bean id="org.apache.jetspeed.security.spi.CredentialPasswordValidator"
class="org.apache.jetspeed.security.spi.impl.SimpleCredentialPasswordValidator">
  <constructor-arg index="0"><value>6</value></constructor-arg>
  <constructor-arg index="1"><value>2</value></constructor-arg>
</bean>

<!-- allow multiple InternalPasswordCredentialInterceptors to be used for
DefaultCredentialHandler -->
<bean id="org.apache.jetspeed.security.spi.InternalPasswordCredentialInterceptor"
class="org.apache.jetspeed.security.spi.impl.InternalPasswordCredentialInterceptorsProxy">
  <constructor-arg index="0">
    <list>
      <!-- enforce an invalid preset password value in the persistent store is
required to be changed -->
      <bean
class="org.apache.jetspeed.security.spi.impl.ValidatePasswordOnLoadInterceptor"/>

      <!-- ensure preset cleartext passwords in the persistent store will be
encoded on first use -->
      <bean
class="org.apache.jetspeed.security.spi.impl.EncodePasswordOnFirstLoadInterceptor"/>

      <!-- remember the last 3 passwords used and require a new password to be

```

```

different from those -->
    <bean
class="org.apache.jetspeed.security.spi.impl.PasswordHistoryInterceptor">
    <constructor-arg index="0"><value>3</value></constructor-arg>
    </bean>

    <!-- Automatically expire a password after 60 days -->
    <bean
class="org.apache.jetspeed.security.spi.impl.PasswordExpirationInterceptor">
    <constructor-arg index="0"><value>60</value></constructor-arg>
    </bean>

    <!-- Automatically disable a password after 3 invalid authentication
attempts in a row -->
    <bean
class="org.apache.jetspeed.security.spi.impl.MaxPasswordAuthenticationFailuresInterceptor">
    <constructor-arg index="0"><value>3</value></constructor-arg>
    </bean>
    </list>
    </constructor-arg>
</bean>

```

And, make sure something like the following configuration is set for the security related valves in pipelines.xml:

```

<bean id="passwordCredentialValve"
    class="org.apache.jetspeed.security.impl.PasswordCredentialValveImpl"
    init-method="initialize">
    <constructor-arg>
    <!-- expirationWarningDays -->
    <list>
    <value>2</value>
    <value>3</value>
    <value>7</value>
    </list>
    </constructor-arg>
</bean>

<bean id="loginValidationValve"
    class="org.apache.jetspeed.security.impl.LoginValidationValveImpl"
    init-method="initialize">
    <!-- maxNumberOfAuthenticationFailures
    This value should be in sync with the value for
org.apache.jetspeed.security.spi.impl.MaxPasswordAuthenticationFailuresInterceptor
(if used) to make sense.
    Any value < 2 will suppress the LoginConststants.ERROR_FINAL_LOGIN_ATTEMPT
error code when only one last attempt is possible before the credential
will be disabled after the next authentication failure.
-->
    <constructor-arg index="0"><value>3</value></constructor-arg>
</bean>

```

Also, make sure the above valves are configured in the jetspeed-pipeline bean.

See the [User Interaction](#) section in the Credentials Management document for a description of these valves and their relation to the interceptors configuration.

security-spi-atz.xml

This configuration file contains all the configurations for configuring the authorization SPI.

Bean	Description
org.apache.jetspeed.security.spi.RoleSecurityHandler	The <i>RoleSecurityHandler</i> encapsulates all the operations around the role principals.
org.apache.jetspeed.security.spi.GroupSecurityHandler	The <i>GroupSecurityHandler</i> encapsulates all the operations around the group principals.
org.apache.jetspeed.security.spi.SecurityMappingHandler	The <i>SecurityMappingHandler</i> encapsulates all the operations involving mapping between principals. It contains the logic managing hierarchy resolution for hierarchical principals (roles or groups). The default hierarchy resolution provided is a hierarchy by generalization (see overview for definitions). A <i>constructor-arg</i> can be added to the <i>SecurityMappingHandler</i> to change the hierarchy resolution strategy. Jetspeed 2 also support a hierarchy resolution by aggregation.

A sample `SecurityMappingHandler` configuration could be:

```
<!-- Security SPI: SecurityMappingHandler -->
<bean id="org.apache.jetspeed.security.spi.SecurityMappingHandler"
      class="org.apache.jetspeed.security.spi.impl.DefaultSecurityMappingHandler">
  <constructor-arg >
    <ref bean="org.apache.jetspeed.security.spi.SecurityAccess"/>
  </constructor-arg>
  <!-- Default role hierarchy strategy is by generalization.
       Add constructor-arg to change the strategy. -->
  <!-- Default group hierarchy strategy is by generalization.
       Add constructor-arg to change the strategy. -->
</bean>
```

1.7 LDAP Configuration

Getting Started with LDAP and Jetspeed

Jetspeed supports several LDAP servers:

- [Apache DS](#)
- [Open LDAP](#)
- [Domino](#)
- [Sun DS](#)

This getting started section only covers getting started with Apache DS

Apache DS 1.0.2

The first step to getting started with Apache DS is to download and install it. Once it is up and running, you will need to add the Jetspeed LDAP schema to the Apache DS server configuration. The general instructions for adding a custom schema are documented here for version ApacheDS 1.0.2. However, as of 2.1.3, the pre Jetspeed build only works with version 0.9.3. As of Jetspeed 2.1.3, we recommend using the guidelines described here for version 1.0.2 instead of the Jetspeed build, as we will be deprecated all 0.9.3 support with version 2.2 of Jetspeed.

<http://directory.apache.org/apacheds/1.0/custom-schema.html>

Apache DS 1.0 does not support dynamic schema updates via the LDAP protocol. This feature will be added in the future however you can still change the schema used by Apache DS. It just requires a restart. To include additional schemas in Apache DS, simply add the schema definitions to the Apache DS `server.xml` configuration file found under the `/conf` directory in the Apache DS distribution. Find the property configuration named "bootstrapSchemas". Since we are interested specifically in adding the Jetspeed schema, we want to add a bean definition appropriate to Jetspeed. This looks like:

```
<property name="bootstrapSchemas">
  <set>
    <bean
class="org.apache.directory.server.core.schema.bootstrap.AutofsSchema"/>
    <bean
class="org.apache.directory.server.core.schema.bootstrap.CorbaSchema"/>
    ...
    <bean class="org.apache.jetspeed.security.ldap.JetspeedSchema"/>
  </set>
</property>
```

For version Apache LDAP 0.9.3 (which I have never tried), use the same:

```
<bean class="org.apache.jetspeed.security.ldap.JetspeedSchema"/>
```

We simply added the Jetspeed schema definition at the end of the list of bean definitions. The bean references a class named *org.apache.jetspeed.security.ldap.JetspeedSchema*. This class is included in a JAR file that Jetspeed provides for you, see below.

Next, we need to create a new domain for the jetspeed schema named **sevenSeas**. The following steps will create the sevenSeas domain in Apache DS.

To add a partition with the suffix "**o=sevenSeas**" and the id "**sevenSeasPartitionConfiguration**", edit the `conf/server.xml` file in Apache DS. Open it in your favorite editor and look for the following element with name `contextPartitionConfigurations`. Add a second `ref` element for the sevenSeas partition:

```
<property name="contextPartitionConfigurations">
  <set>
    <ref bean="examplePartitionConfiguration"/>
    <ref bean="sevenSeasPartitionConfiguration"/>
  </set>
</property>
```

Next, create the actual partition for Seven Seas by pasting this code in after the `examplePartitionConfiguration` (you can also remove the example partition and `ref` if you like):

```
<bean id="sevenSeasPartitionConfiguration"
class="org.apache.directory.server.core.partition.impl.btree.MutableBTreePartitionConfiguration">

  <!-- the optimizer is enabled by default but may not always be what -->
  <!-- you want if your queries are really simple -->
  <!--<property name="optimizerEnabled" value="true" />-->

  <property name="name" value="The seven seas" />
  <property name="cacheSize" value="100" />
  <property name="suffix" value="o=sevenSeas" />
  <property name="optimizerEnabled" value="true" />
  <property name="synchOnWrite" value="true" />

  <!--
  Synchronization on writes does not wait for synch operations
  to flush dirty pages. Writes persist immediately to disk at
  a cost to performance with increased data integrity. Otherwise
  the periodic synch operation will flush dirty pages using the
  synchPeriodMillis parameter in the main configuration.
  -->

  <property name="indexedAttributes">
    <set>
      <bean
class="org.apache.directory.server.core.partition.impl.btree.MutableIndexConfiguration">
        <property name="attributeId" value="dc" />
        <property name="cacheSize" value="100" />
      </bean>
```

```

        <bean
class="org.apache.directory.server.core.partition.impl.btree.MutableIndexConfiguration">
    <property name="attributeId" value="ou" />
    <property name="cacheSize" value="100" />
</bean>
    <bean
class="org.apache.directory.server.core.partition.impl.btree.MutableIndexConfiguration">
    <property name="attributeId" value="krb5PrincipalName" />
    <property name="cacheSize" value="100" />
</bean>
    <bean
class="org.apache.directory.server.core.partition.impl.btree.MutableIndexConfiguration">
    <property name="attributeId" value="uid" />
    <property name="cacheSize" value="100" />
</bean>
    <bean
class="org.apache.directory.server.core.partition.impl.btree.MutableIndexConfiguration">
    <property name="attributeId" value="objectClass" />
    <property name="cacheSize" value="100" />
</bean>
</set>
</property>
<property name="contextEntry">
    <value>
        objectClass: top
        objectClass: domain
        objectClass: extensibleObject
            o: sevenSeas
    </value>
</property>
</bean>
</bean>

```

Note that the important areas that you may need to change if you need to customize your partition are the name of the partition:

```
<bean id="sevenSeasPartitionConfiguration"
```

The suffix:

```
<property name="suffix" value="o=sevenSeas" />
```

The last property remaining now is the context entry. The object classes top and extensibleObject are universal hence they remain. But the object class domain is replaced by the object class organization, because our partition should not represent a domain but an organization:

```

<property name="contextEntry">
+ <value>
+     objectClass: top
+     objectClass: organization
+     objectClass: extensibleObject

```

```

+       o: sevenSeas
+   </value>
+</property>

```

After saving the `server.xml`, you will need to download the jar file and drop it into the `/lib` directory in the Apache DS distribution. The JAR contains the Java-implementation of the Jetspeed schema for LDAP. For ApacheDS version 1.0.2, download the Jetspeed LDAP schema JAR file from here:

[Apache DS 1.0.2 - Jetspeed Schema Files](#)

For ApacheDS version 0.9.3, download the Jetspeed LDAP schema JAR file from here:

[Apache DS 0.9.3 - Jetspeed Schema Files](#)

After dropping in the jar file, restart the server. Apache DS should now be ready to support Jetspeed schemas. When the server starts up, make sure that there are no error messages printing out on the console related to this configuration

Jetspeed Configuration

So, how do you tie Jetspeed into ApacheDS, now that ApacheDS has the required schema? There are two steps.

First, you need to modify the Spring configuration file for LDAP security in Jetspeed.

Second, you need to set up a working administrator account in the LDAP directory, so that you'll be able to log into Jetspeed.

Before we begin, the LDAP code in Jetspeed was broken until recently, and therefore unusable without manual changes to the Java code (at least with Apache DS, according to our testing). Therefore, you should make sure that you're using Jetspeed 2.1.3 or higher.

For the first step, you will need to download three Spring configuration files. When Jetspeed is deployed to Tomcat, it should be placed under `WEB-INF/assembly/override/` directory. Download from here:

<http://people.apache.org/~taylor/LDAP/security-spi-ldap.xml>

<http://people.apache.org/~taylor/LDAP/security-spi-ldap-atn.xml>

<http://people.apache.org/~taylor/LDAP/security-spi-ldap-atz.xml>

The `security-spi-ldap.xml` file will need to be modified. The other two do not need to be modified.

One last step is to remove two files from the `WEB-INF/assembly` directory:

```
mv security-spi-atz.xml alternate/
```

Configuring security-spi-ldap.xml

The `security-spi-ldap.xml` configuration file for LDAP in Jetspeed is actually an XML file that configures the

Jetspeed LDAP implementation. There are a total of 36 arguments (really!). While not all of these arguments may not actually be used by you, they must all be specified, otherwise Jetspeed will fail to initialize. Here is a base assembly that you will need to modify to point to your LDAP server:

```

<beans>
  <!-- ***** Ldap Configuration ***** -->
  <bean id="org.apache.jetspeed.security.spi.impl.ldap.LdapBindingConfig"
    class="org.apache.jetspeed.security.spi.impl.ldap.LdapBindingConfig">
    <!-- The LDAP initial context factory. -->
    <constructor-arg
index="0"><value>com.sun.jndi.ldap.LdapCtxFactory</value></constructor-arg>
    <!-- The LDAP server name. -->
    <constructor-arg index="1"><value>localhost</value></constructor-arg>
    <!-- The LDAP server port. -->
    <constructor-arg index="2"><value>10389</value></constructor-arg>
    <!-- The LDAP server root context. -->
    <constructor-arg index="3"><value>o=sevenSeas</value></constructor-arg>
    <!-- The LDAP server root dn. -->
    <constructor-arg
index="4"><value>uid=admin,ou=system</value></constructor-arg>
    <!-- The LDAP server root password. -->
    <constructor-arg index="5"><value>secret</value></constructor-arg>
    <!-- The roles filter. -->
    <constructor-arg
index="6"><value>(objectclass=jetspeed-2-role)</value></constructor-arg>
    <!-- The groups filter. -->
    <constructor-arg
index="7"><value>(objectclass=jetspeed-2-group)</value></constructor-arg>
    <!-- The user filter. -->
    <constructor-arg
index="8"><value>(objectclass=jetspeed-2-user)</value></constructor-arg>
    <!-- The roleMembershipAttributes. -->
    <constructor-arg index="9"><value>j2-role</value></constructor-arg>
    <!-- The userRoleMembershipAttributes. -->
    <constructor-arg index="10"><value>j2-role</value></constructor-arg>
    <!-- The groupMembershipAttributes. -->
    <constructor-arg index="11"><value>uniqueMember</value></constructor-arg>
    <!-- The userGroupMembershipAttributes. -->
    <constructor-arg index="12"><value>j2-group</value></constructor-arg>
    <!-- The groupMembershipForRoleAttributes. -->
    <constructor-arg index="13"><value>uniqueMember</value></constructor-arg>
    <!-- The roleGroupMembershipForRoleAttributes. -->
    <constructor-arg index="14"><value></value></constructor-arg>
    <!-- The defaultSearchBase. -->
    <constructor-arg index="15"><value>o=sevenSeas</value></constructor-arg>
    <!-- The roleFilterBase. -->
    <constructor-arg
index="16"><value>ou=Roles,ou=rootOrg</value></constructor-arg>
    <!-- The groupFilterBase. -->
    <constructor-arg
index="17"><value>ou=Groups,ou=rootOrg</value></constructor-arg>
    <!-- The userFilterBase. -->
    <constructor-arg
index="18"><value>ou=People,ou=rootOrg</value></constructor-arg>
    <!-- The roleObjectClasses. -->
    <constructor-arg
index="19"><value>top,groupOfUniqueNames,jetspeed-2-role</value></constructor-arg>
    <!-- The groupObjectClasses. -->
    <constructor-arg
index="20"><value>top,groupOfUniqueNames,jetspeed-2-group</value></constructor-arg>

```

```

    <!-- The userObjectClasses. -->
    <constructor-arg
index="21"><value>top, person, organizationalPerson, inetorgperson, jetspeed-2-user</value></constructor-arg>
    <!-- The roleIdAttribute. -->
    <constructor-arg index="22"><value>cn</value></constructor-arg>
    <!-- The groupIdAttribute. -->
    <constructor-arg index="23"><value>cn</value></constructor-arg>
        <!-- The userIdAttribute. -->
    <constructor-arg index="24"><value>cn</value></constructor-arg>
    <!-- The UidAttribute. -->
    <constructor-arg index="25"><value>uid</value></constructor-arg>
    <!-- The MembershipSearchScope. -->
    <constructor-arg index="26"><value>1</value></constructor-arg>
    <!-- The roleUidAttribute. -->
    <constructor-arg index="27"><value>cn</value></constructor-arg>
    <!-- The groupIdAttribute. -->
    <constructor-arg index="28"><value>cn</value></constructor-arg>
        <!-- The userIdAttribute. -->
    <constructor-arg index="29"><value>uid</value></constructor-arg>
        <!-- The roleObjectRequiredAttributeClasses. -->
    <constructor-arg
index="30"><value>cn, j2-classname, uid, uniquemember</value></constructor-arg>
        <!-- The groupObjectRequiredAttributeClasses. -->
    <constructor-arg
index="31"><value>cn, j2-classname, uid, uniqueMember</value></constructor-arg>
        <!-- The userAttributes. -->
    <constructor-arg
index="32"><value>sn={u}, cn={u}, uid={u}</value></constructor-arg>
        <!-- The roleAttributes. -->
    <constructor-arg index="33"><value></value></constructor-arg>
        <!-- The groupAttributes. -->
    <constructor-arg index="34"><value></value></constructor-arg>
        <!-- The userPasswordAttribute. -->
    <constructor-arg index="35"><value>userPassword</value></constructor-arg>
        <!-- The knownAttributes. -->
    <constructor-arg
index="36"><value>cn, sn, o, uid, ou, objectClass, userPassword, member, uniqueMember, memberOf, j2-role, j2-group</value></constructor-arg>
    </bean>
</beans>

```

Lets cover the most often used modifications. Further in the documentation on this page, we go into more detail of each parameter. You will probably need to make changes in the following locations in order to make it work with your setup. I've listed them according to the constructor argument it uses in the XML file. Possible changes marked with a (!) will require a corresponding change to the LDIF file (explained later), so do not change them unless you understand what you're doing in both files.

2. Our LDAP server runs on port 10389. The default for most LDAP servers is port 389.

3.(!) We set the organization name as "o=sevenSeas", as was done in the ApacheDS example. If you want to use a different organization name, you can change it to anything of the form "o=yourOrganizationName".

15.(!) If you changed your organization name in #3, you need to make the exact same change here.

16.(!) We stored all Jetspeed keys in a group called "ou=rootOrg". You can change the name of it to anything you want, as long as it's of the form "ou=yourOrganizationalUnit", and your changes are reflected in #17, #18, and the LDIF file. Within the "ou=rootOrg" directory, we stored all roles in a subdirectory called "ou=Roles". Chances are you have no need to change that name as well.

17.(!) As mentioned in #16, if you change the name of "ou=rootOrg", you need to change this value accordingly.

18.(!) Same as #17.

The other arguments are unlikely to require changes unless the LDAP schema itself is changed. Now, we need to set up at least one Jetspeed account in the LDAP directory. And we cannot use the Jetspeed administrative portlets to do it, because we'd need to log in as an administrator to do so (and no accounts of ANY kind exist at this point). Fortunately, we created an LDIF file that can be imported into ApacheDS and matches the above Jetspeed configuration exactly.

LDIF Import

LDAP Data Interchange Format (LDIF) is a standard data interchange format for representing LDAP directory content as well as directory update (Add, Modify, Delete, Rename) requests. The following text is the contents of the LDIF file for getting you started with a Jetspeed LDAP base configuration. The entries in the LDIF sample include definitions for creating the basic Jetspeed admin user and required roles to get a minimal portal up and running. For your convenience, you can download this LDIF file from here:

<http://people.apache.org/~taylor/LDAP/jetspeed-apacheds.ldif>

With Apache DS, we could not create the root domain with an LDIF import. Instead we had to create a partition as described above. Also take a look at the `root.ldif` file, as it contains the root definitions for the sevenSeas organization that you may need on different LDAP server.

We recommend using [LDAP Studio](#) to import the Jetspeed LDIF file into the Apache DS server via File->Import

```
dn: ou=rootOrg,o=sevenSeas
objectClass: organizationalUnit
objectClass: top
ou: rootOrg

dn: ou=People,ou=rootOrg,o=sevenSeas
objectClass: organizationalUnit
objectClass: top
ou: People

dn: ou=Groups,ou=rootOrg,o=sevenSeas
objectClass: organizationalUnit
objectClass: top
ou: Groups

dn: ou=Roles,ou=rootOrg,o=sevenSeas
objectClass: organizationalUnit
objectClass: top
ou: Roles

dn: cn=accounting,ou=Groups,ou=rootOrg,o=sevenSeas
objectClass: jetspeed-2-group
objectClass: groupOfUniqueNames
objectClass: top
cn: accounting
j2-classname: accounting
uid: accounting
```



```
uniquemember: user,local,sublocal

dn: cn=engineering,ou=Groups,ou=rootOrg,o=sevenSeas
objectClass: jetspeed-2-group
objectClass: groupOfUniqueNames
objectClass: top
cn: engineering
j2-classname: engineering
uid: engineering
uniquemember: user

dn: cn=marketing,ou=Groups,ou=rootOrg,o=sevenSeas
objectClass: jetspeed-2-group
objectClass: groupOfUniqueNames
objectClass: top
cn: marketing
j2-classname: marketing
uid: marketing
uniquemember: user

dn: cn=admin,ou=Roles,ou=rootOrg,o=sevenSeas
objectClass: jetspeed-2-role
objectClass: groupOfUniqueNames
objectClass: top
cn: admin
j2-classname: admin
uid: admin
uniquemember: admin

dn: cn=manager,ou=Roles,ou=rootOrg,o=sevenSeas
objectClass: jetspeed-2-role
objectClass: groupOfUniqueNames
objectClass: top
cn: manager
j2-classname: manager
uid: manager
uniquemember: admin,jetspeed,manager

dn: cn=user,ou=Roles,ou=rootOrg,o=sevenSeas
objectClass: jetspeed-2-role
objectClass: groupOfUniqueNames
objectClass: top
cn: user
j2-classname: user
uid: user
uniquemember: user,admin,manager,local

dn: cn=guest,ou=Roles,ou=rootOrg,o=sevenSeas
objectClass: jetspeed-2-role
objectClass: groupOfUniqueNames
objectClass: top
cn: guest
j2-classname: guest
uid: guest
uniquemember: guest

dn: cn=subsite,ou=Roles,ou=rootOrg,o=sevenSeas
objectClass: jetspeed-2-role
objectClass: groupOfUniqueNames
objectClass: top
cn: subsite
j2-classname: subsite
```

```
uid: subsite
uniquemember: subsite

dn: cn=subsite2,ou=Roles,ou=rootOrg,o=sevenSeas
objectClass: jetspeed-2-role
objectClass: groupOfUniqueNames
objectClass: top
cn: subsite2
j2-classname: subsite2
uid: subsite2
uniquemember: subsite

dn: cn=dev,ou=Roles,ou=rootOrg,o=sevenSeas
objectClass: jetspeed-2-role
objectClass: groupOfUniqueNames
objectClass: top
cn: dev
j2-classname: dev
uid: dev
uniquemember: dev

dn: cn=devmgr,ou=Roles,ou=rootOrg,o=sevenSeas
objectClass: jetspeed-2-role
objectClass: groupOfUniqueNames
objectClass: top
cn: devmgr
j2-classname: devmgr
uid: devmgr
uniquemember: devmgr

dn: cn=admin,ou=People,ou=rootOrg,o=sevenSeas
objectClass: organizationalPerson
objectClass: person
objectClass: jetspeed-2-user
objectClass: inetOrgPerson
objectClass: top
cn: admin
givenname: Admin
j2-role: admin
j2-role: manager
j2-role: user
sn: admin
uid: admin
userpassword:: c2VjcmV0

dn: cn=manager,ou=People,ou=rootOrg,o=sevenSeas
objectClass: organizationalPerson
objectClass: person
objectClass: jetspeed-2-user
objectClass: inetOrgPerson
objectClass: top
cn: manager
givenname: Manager
j2-role: manager
j2-role: user
sn: manager
uid: manager
userpassword:: c2VjcmV0

dn: cn=user,ou=People,ou=rootOrg,o=sevenSeas
objectClass: organizationalPerson
objectClass: person
```

```
objectClass: jetspeed-2-user
objectClass: inetOrgPerson
objectClass: top
cn: user
givenname: User
j2-role: user
sn: user
uid: user
userpassword:: c2VjcmV0

dn: cn=local,ou=People,ou=rootOrg,o=sevenSeas
objectClass: organizationalPerson
objectClass: person
objectClass: jetspeed-2-user
objectClass: inetOrgPerson
objectClass: top
cn: local
givenname: Local
j2-role: user
sn: local
uid: local
userpassword:: c2VjcmV0

dn: cn=sublocal,ou=People,ou=rootOrg,o=sevenSeas
objectClass: organizationalPerson
objectClass: person
objectClass: jetspeed-2-user
objectClass: inetOrgPerson
objectClass: top
cn: sublocal
givenname: sublocal
j2-role: user
sn: sublocal
uid: sublocal
userpassword:: c2VjcmV0

dn: cn=tomcat,ou=People,ou=rootOrg,o=sevenSeas
objectClass: organizationalPerson
objectClass: person
objectClass: jetspeed-2-user
objectClass: inetOrgPerson
objectClass: top
cn: tomcat
givenname: tomcat
sn: tomcat
uid: tomcat
userpassword:: c2VjcmV0

dn: cn=jetspeed,ou=People,ou=rootOrg,o=sevenSeas
objectClass: organizationalPerson
objectClass: person
objectClass: jetspeed-2-user
objectClass: inetOrgPerson
objectClass: top
cn: jetspeed
givenname: jetspeed
j2-role: manager
sn: jetspeed
uid: jetspeed
userpassword:: c2VjcmV0

dn: cn=guest,ou=People,ou=rootOrg,o=sevenSeas
```

```
objectClass: organizationalPerson
objectClass: person
objectClass: jetspeed-2-user
objectClass: inetOrgPerson
objectClass: top
cn: guest
givenname: guest
sn: guest
uid: guest
userpassword:: c2VjcmV0

dn: cn=subsite,ou=People,ou=rootOrg,o=sevenSeas
objectClass: organizationalPerson
objectClass: person
objectClass: jetspeed-2-user
objectClass: inetOrgPerson
objectClass: top
cn: subsite
givenname: subsite
j2-role: subsite
j2-role: subsite2
j2-role: user
sn: subsite
uid: subsite
userpassword:: c2VjcmV0

dn: cn=subsite2,ou=People,ou=rootOrg,o=sevenSeas
objectClass: organizationalPerson
objectClass: person
objectClass: jetspeed-2-user
objectClass: inetOrgPerson
objectClass: top
cn: subsite2
givenname: subsite2
j2-role: subsite
j2-role: subsite2
j2-role: user
sn: subsite2
uid: subsite2
userpassword:: c2VjcmV0

dn: cn=devmgr,ou=People,ou=rootOrg,o=sevenSeas
objectClass: organizationalPerson
objectClass: person
objectClass: jetspeed-2-user
objectClass: inetOrgPerson
objectClass: top
cn: devmgr
givenname: devmgr
j2-role: devmgr
j2-role: dev
j2-role: user
sn: devmgr
uid: devmgr
userpassword:: c2VjcmV0
```

So what exactly does it produce, from a Jetspeed perspective?

* Three groups (accounting, engineering, marketing) are created. They are not strictly required for normal operation of Jetspeed, but they show how groups are declared.

* Eight roles (guest, admin, devmgr, jetspeed, local, manager, sublocal, subsite, subsite2, tomcat, user) are created, the same set of roles found in the demo distribution of Jetspeed 2.1.3

* The administrative user has the name **admin**. This user has both the "admin" and "manager" roles, so it has full access to all administrative portlets.

* All users are created with the password **secret**.

WARNING: If you modified any of the arguments from `security-spi-ldap.xml` that had a (!) next to their explanations, the above LDIF file will not work. It will import into your LDAP server just fine, but Jetspeed will be unable to use it. Here's a list of the changes you'll need to make to the LDIF file, according to which argument you modified (if you didn't change it in the XML file, you do not need to change it in the LDIF file):

15. Same as #3.

16. If you changed your organization unit (the default was "ou=rootOrg"), you need to change it every single time it appears in the LDIF file. You can use the same "find/replace" trick as with #3. As with #3, a mistake here will result in a malformed LDIF file.

17. Same as #16.

18. Same as #16.

LDAP Configuration Reference

This section is a reference with examples for the configuration of the LDAP security module in Jetspeed. Out of the box, Jetspeed searches for user, group & role information in a relational database. However, it can also search this information in an LDAP directory.

Jetspeed stores its LDAP configuration in a Spring XML file called `security-spi-ldap.xml`

This XML file describes an object (used internally by Jetspeed) that contains LDAP configuration parameters. These configuration parameters are passed onto the object through constructor arguments:

```
<!-- The LDAP initial context factory. -->
<constructor-arg index="0">
  <value>com.sun.jndi.ldap.LdapCtxFactory</value>
</constructor-arg>
```

Each constructor argument contains an index to specify the correct order. The file defines the following arguments:

Index	Name	Example
0	Initial context factory	com.sun.jndi.ldap.LdapCtxFactory
1	LDAP server host	localhost

Index	Name	Example
2	LDAP server port	389
3	Root context	o=sevenSeas
4	The LDAP server root dn	uid=admin,o=sevenSeas
5	The LDAP server root password	secret
6	The roles filter	(objectclass=groupOfUniqueNames)
7	The groups filter	(objectClass=groupOfNames)
8	The user filter	(objectclass=inetorgperson)
9	roleMembershipAttributes	uniqueMember
10	userRoleMembershipAttributes	
11	groupMembershipAttributes	member
12	userGroupMembershipAttributes	
13	groupMembershipForRoleAttributes	uniqueMember
14	roleGroupMembershipForRoleAttributes	
15	defaultSearchBase	
16	roleFilterBase	ou=Roles,ou=rootOrg
17	groupFilterBase	ou=Groups,ou=rootOrg
18	userFilterBase	ou=People,ou=rootOrg
19	roleObjectClasses	top,groupOfUniqueNames
20	groupObjectClasses	top,groupOfNames
21	userObjectClasses	top,person,organizationalPerson,inetorgperson
22	roleIdAttribute	cn
23	groupIdAttribute	cn
24	userIdAttribute	uid
25	UidAttribute	uid
26	MemberShipSearchScope	1
27	roleUIdAttribute	cn
28	groupUIdAttribute	cn
29	userUIdAttribute	uid
30	roleObjectRequiredAttributeClasses	uniqueMember
31	groupObjectRequiredAttributeClasses	member
32	userAttributes	sn={u},cn={u}
33	roleAttributes	sn={u}

Index	Name	Example
34	groupAttributes	sn={u}
35	userPasswordAttribute	passWord
36	knownAttributes	cn,sn,o,uid,ou,objectClass,userPassword,member,uniqueMember,member

Configuring Jetspeed 2 to Use LDAP

Configuring jetspeed for LDAP usage is simply a matter of having the proper configuration files in place. These configuration files are to be placed in the `WEB-INF/assembly` folder of the expanded jetspeed WAR.

The following files need to be copied into that directory if you want to connect Jetspeed2 to an LDAP server.

- *security-spi-ldap.xml*: Provides the configuration information for LDAP binding, explained in detail below.
- *security-spi-ldap-atn.xml*: Provides the SPI configuration for authentication. It replaces the default implementations of the *CredentialHandler* and *UserSecurityHandler* with an LDAP specific implementation.
- *security-spi-ldap-atz.xml*: Provides the SPI configuration for authorization. It replaces the default implementations of the *RoleSecurityHandler*, *GroupSecurityHandler* and *SecurityMappingHandler* with an LDAP specific implementation.

The default authentication and authorization SPI configurations (the files called **security-spi-atn.xml** and **security-spi-atz.xml**) need to be removed from that assembly directory.

In the Jetspeed source tree the examples ldap configuration files can be found in:

```
${jetspeed-source-home}/components/security/etc/
```

If your application is deployed in Tomcat, the target assembly directory is located at:

```
${tomcat-home}/webapps/jetspeed/WEB-INF/assembly/
```

Furthermore, the source tree of the Jetspeed security component provides several tests using different configurations as well as ldif sample data for testing the ApacheDS, OpenLDAP, Domino and sunDS LDAP servers. These are located at:

```
${jetspeed-source-home}/components/security/src/test/JETSPEED-INF/directory/config/
```

We'll discuss the *security-spi-ldap.xml* file in detail below.

LDAP Connection properties

One of the first Jetspeed needs to know is how it to connect to the directory store.

This is done by providing the following properties:

initialContextFactory

The initial context factory

```
<constructor-arg index="0">  
  <value>com.sun.jndi.ldap.LdapCtxFactory</value>  
</constructor-arg>
```

ldapServerName

The name of the LDAP server

```
<constructor-arg index="1">  
  <value>localhost</value>  
</constructor-arg>
```

ldapServerPort

The port of the LDAP server

```
<constructor-arg index="2">  
  <value>389</value>  
</constructor-arg>
```

rootContext

The root context of the LDAP server

```
<constructor-arg index="3">  
  <value>o=sevenSeas</value>  
</constructor-arg>
```

rootDn

The username

```
<constructor-arg index="4">  
  <value>uid=admin,ou=system</value>  
</constructor-arg>
```


rootPassword

The password

```
<constructor-arg index="5">
  <value>secret</value>
</constructor-arg>
```

Validate the connection using an LDAP browser:

LDAP Object Filters

A directory service can store any type of object anywhere. As Jetspeed needs to work with roles, groups and users that are defined within the directory, it needs some help in finding them.

The following 3 properties define how Jetspeed will lookup Roles, Groups and Users from the directory store.

- RoleFilter
- GroupFilter
- UserFilter

Property values must be valid objectClasses that are defined in the LDAP schema.

Most LDAP vendors usually expose their schema through an LDIF file that defines every attribute and objectclass available in the directory store.

A configuration based on Lotus Domino might look like this

```
RoleFilter=(!(objectclass=groupOfUniqueNames)!(objectClass=dominoGroup))
GroupFilter=(objectclass=dominoGroup)
UserFilter=(objectclass=dominoPerson)
```

Domino uses the **dominoGroup** objectClass to define a group, **dominoPerson** to define a user, and **groupOfUniqueNames** to define a role. Since group also has the groupOfUniqueNames as an object class, we need to define a filter for the roles, so that it will only pick up roles. If we had defined the RoleFilter as being (objectclass=groupOfUniqueNames), then the filter would have also picked up the groups.

RoleFilter

This property tells Jetspeed that roles can be recognized by looking for an **objectClass** attribute with value **groupOfUniqueNames**.

```
<constructor-arg index="6">
  <value>=(objectclass=groupOfUniqueNames)</value>
```

```
</constructor-arg>
```

GroupFilter

This property tells Jetspeed that groups can be recognized by looking for an **objectClass** attribute with value **groupOfNames**.

```
<constructor-arg index="7">
  <value>=(objectclass=groupOfUniqueNames)</value>
</constructor-arg>
```

UserFilter

This property tells Jetspeed that users can be recognized by looking for an **objectClass** attribute with value **organizationalPerson**.

```
<constructor-arg index="8">
  <value>=(objectclass= organizationalPerson)</value>
</constructor-arg>
```

Alongside these filters, we can also define a filter base for each of those objects (roles, groups and users).

Group/Role membership

In LDAP there are basically 2 ways to define group & role membership (the fact that a user belongs to a group or a role):

- The user object has an attribute that specifies the groups he is a member of. This is usually done through a `memberOf` attribute. Microsoft Active Directory and Sun Directory Server use the `memberOf` and `nsrole` attribute on the user object.
- The group/role object contains the group membership information via a multi-valued attribute. No attributes are put on the user to specify membership. Each group/role object has a member list that contains the users belonging to the group

Jetspeed supports both models.

The primary tasks concerning membership of an LDAP are

- Determining if a user is part of a particular group/role
- Obtain a list of users belonging to a particular group/role

The 2 models we just covered have an impact on how these tasks are performed

- Attributes on user object
 - Determining if a user is part of a particular group/role:
 - lookup the membership attribute (ex: `memberOf`) on the user object for a particular

group/role

- Obtain a list of users belonging to a particular group/role:
 - iterate over the all users, and check their memberOf attribute values for the group
- Attributes on group/role object
 - To determine if a user is part of a particular group:
 - search the member list on the group for the user
 - To determine the users belonging to a particular group:
 - iterate over the member list on the group

We'll now discuss in detail how group/role membership can be configured.

Role membership

As already discussed, Jetspeed supports 2 models when it comes to Role membership:

1. Putting the attributes on the user
2. Putting the attributes on the role

Jetspeed requires that 1 of 2 properties is set with a value to determine the model:

- RoleMembershipAttributes
- UserRoleMembershipAttributes

RoleMembershipAttributes

In order to store role membership on the role, we'll set the **RoleMembershipAttributes** attribute by specifying the attribute on the role object that contains the membership information. We don't provide a value for the **UserRoleMembershipAttributes** property.

```
<constructor-arg index="9">
  <value>member</value>
</constructor-arg>
```

This will make sure that the member attribute is set on the role object, as can be seen in the following screenshot. In the next example, the RoleMembershipAttribute will be blank, so the attributes will be on the user level.

In the screenshot below, we have a Role object defined by **cn=Role3,ou=Roles,ou=rootOrg,o=sevenSeas**

The role contains a member attribute, listing all users belonging to that role.

A role with 2 members

The value of the member attribute is the fully qualified DN of the user (including the root context). As you can see, the user doesn't contain any attributes with regards to role membership.

A user

When this attribute is set, Jetspeed will determine the roles for a particular user by performing the following query:

```
( &(member=cn=user1,ou=people,ou=rootOrg,o=sevenSeas)(objectclass=groupOfNames) )
```

This search filter will return any number of Roles in the directory. The next step for Jetspeed is to identify these roles internally. In order to uniquely identify a role, it will use the `RoleIdAttribute`.

In the example above, `cn=Role1` would have been amongst the searchresult. Jetspeed will use the `RoleIdAttribute` to pickup the role name.

UserRoleMembershipAttributes

In order to store role membership on the user, we'll set the **UserRoleMembershipAttributes** attribute by specifying the attribute on the user object that contains the membership information. We don't provide a value for the **RoleMembershipAttributes** property.

```
<constructor-arg index="10">
  <value>memberOf</value>
</constructor-arg>
```

This will make sure that for each role the user belongs to, the `memberOf` attribute is set on the user object, as can be seen in the following screenshot:

User belonging to 4 different roles

The value of the **memberOf** attribute is the fully qualified DN of the role (including the root context). It is a multi valued attribute, so a user can have zero or more **memberOf** attribute values.

As you can see, the user belongs to a role defined by **cn=role1,ou=Roles,rootOrg,o=sevenSeas**.

In order to resolve role membership, Jetspeed will search the directory for roles by using the following filter:

```
# define the filters needed to search for roles/groups/users
RoleFilter=(objectclass=groupOfUniqueNames)
```

As you can see in the screenshot, `cn=role1,o=sevenSeas` corresponds to an object representing a role.

Notice the empty `uniqueMember` attribute. Most LDAP schemas force you to have a **uniqueMember** attribute on a **groupOfUniqueNames** object. Since Jetspeed needs to be able to create roles (that are empty upon creation), an empty **uniqueMember** attribute needs to be set. This is configurable by Jetspeed through the **RequiredAttributeClasses** property.

A role without any members

Group membership

As already discussed, Jetspeed supports 2 models when it comes to Group membership:

1. Putting the attributes on the user
2. Putting the attributes on the group

Jetspeed requires that 1 of 2 properties is set with a value to determine the model:

- `GroupMembershipAttributes`
- `UserGroupMembershipAttributes`

`GroupMembershipAttributes`

In order to store group membership on the group, we'll set the `GroupMembershipAttributes` attribute by specifying the attribute on the group object that contains the membership information. We don't provide a value for the `UserGroupMembershipAttributes` property.

```
<constructor-arg index="11">
  <value>uniqueMember</value>
</constructor-arg>
```

This will make sure that the `uniqueMember` attribute is set on the group object, as can be seen in the following screenshot. In the previous example, the `GroupMembershipAttributes` was blank, so instead the `UserGroupMembershipAttributes` was used on the user level:

The value of the `uniquemember` attribute is the fully qualified DN of the user (including the root context). As you can see, the user doesn't contain any attributes with regards to group membership.

`UserGroupMembershipAttributes`

In order to store group membership on the user, we'll set the `UserGroupMembershipAttributes` attribute by specifying the attribute on the user object that contains the membership information. We don't provide a value for the `GroupMembershipAttributes` property.

```
<constructor-arg index="12">
  <value>memberOf</value>
</constructor-arg>
```

This will make sure that the `memberOf` attribute is set on the user object, as can be seen in the following screenshot.

Only one of those parameters can be filled in. If the `GroupMemberShipAttributes` is set, Jetspeed assumes that the attribute to determine group membership is on the group object.

User belonging to 2 different roles

The value of the `memberOf` attribute is the fully qualified DN of the role (including the root context). It is a multi valued attribute, so a user can have zero or more `memberOf` attribute values. In the screenshot above, we can see that `user1` belongs to 2 roles.

As you can see, the role is defined in `cn=role1,o=sevenSeas`. (notice the empty `uniqueMember` attribute).

*Role definition***Group membership (roles)**

Besides storing users in a group, Jetspeed also supports storing roles into groups.

Again, just like with the basic group membership for users, Jetspeed supports 2 models when it comes to Group membership for roles:

1. Putting the attributes on the role
2. Putting the attributes on the group

Jetspeed requires that 1 of 2 properties is set with a value to determine the model:

- `GroupMembershipForRoleAttributes`
- `RoleGroupMembershipForRoleAttributes`

GroupMembershipForRoleAttributes

In order to store group membership on the group, we'll set the `GroupMembershipAttributes` attribute by specifying the attribute on the group object that contains the membership information. We don't provide a value for the `UserGroupMembershipAttributes` property.

```
<constructor-arg index="13">
  <value>uniqueMember</value>
</constructor-arg>
```

This will make sure that the `uniqueMember` attribute is set on the group object, as can be seen in the following screenshot. In the previous example, the `GroupMembershipAttributes` was blank, so instead the `UserGroupMembershipAttributes` was used on the user level.

The value of the `uniquemember` attribute is the fully qualified DN of the user (including the root context). As you can see, the user doesn't contain any attributes with regards to group membership.

RoleGroupMembershipForRoleAttributes

In order to store group membership on the user, we'll set the `UserGroupMembershipAttributes` attribute by specifying the attribute on the user object that contains the membership information. We don't provide a value for the `GroupMembershipAttributes` property.

```
<constructor-arg index="14">
  <value>memberOf</value>
</constructor-arg>
```

This will make sure that the **memberOf** attribute is set on the user object, as can be seen in the following screenshot.

The value of the `uniqueMember` attribute is the fully qualified DN of the user (including the root context). As you can see, the user doesn't contain any attributes with regards to group membership.

Only one of those parameters can be filled in. If the **GroupMembershipAttributes** is set, Jetspeed assumes that the attribute to determine group membership is on the group object.

User belonging to 2 different roles

The value of the `memberOf` attribute is the fully qualified DN of the role (including the root context). It is a multi valued attribute, so a user can have zero or more `memberOf` attribute values. In the screenshot above, we can see that `user1` belongs to 2 roles.

As you can see, the role is defined in **cn=role1,o=sevenSeas**. (notice the empty `uniqueMember` attribute).

Role definition

DefaultSearchBase

Jetspeed allows you to define a default search base that will be used to search the directory

```
<constructor-arg index="15">
  <value></value>
</constructor-arg>
```

LDAP Object Filter base

Jetspeed allows you to define the search base that will be applied to queries for roles, groups and users.

Roles, groups and user are typically stored in well-defined containers within the LDAP structure.

- Roles can be stored in `ou=Roles,ou=rootOrg`
- Groups can be stored in `ou=Groups,ou=rootOrg`
- Users can be stored in `ou=People,ou=rootOrg`

This allows you to have the following structure in your LDAP schema. Notice how there are many organizational units within the `o=sevenSeas` schema. Jetspeed will limit its search scope on the LDAP to the property values defined above. This means that only roles, groups and people within `rootOrg` will be

used by Jetspeed.

So, together with the object filters (RoleFilter, GroupFilter, UserFilter), Jetspeed will be able to locate the roles, groups and users within the directory.

Using these properties, Jetspeed will also create roles, groups and users using the provided ObjectClasses.

RoleFilterBase

Using the property value below, Jetspeed will search for roles in the ou=Roles,ou=OrgUnit subtree.

```
<constructor-arg index="16">
  <value>ou=Roles,ou=rootOrg</value>
</constructor-arg>
```

GroupFilterBase

Using the property value above, Jetspeed will search for groups in the ou=Groups,ou=OrgUnit subtree.

```
<constructor-arg index="17">
  <value>ou=Groups,ou=rootOrg</value>
</constructor-arg>
```

UserFilterBase

Using the property value above, Jetspeed will search for users in the ou=People,ou=OrgUnit subtree.

```
<constructor-arg index="18">
  <value>ou=People,ou=rootOrg</value>
</constructor-arg>
```

LDAP Object classes

Jetspeed allows you to define the ObjectClasses that are needed to create roles, groups and users through the following properties

- RoleObjectClasses
- GroupObjectClasses
- UserObjectClasses

Through the administrative interface, Jetspeed allows an administrator to create roles, groups and users. Each directory server has its own way of defining a role, group or user. Some of the LDAP vendors use proprietary ObjectClasses to define these objects (for example Domino LDAP server uses an

dominoGroup objectClass to define a group).

Using these properties, Jetspeed will create roles, groups and users using the provided ObjectClasses.

RoleObjectClasses

```
<constructor-arg index="19">
  <value>top,groupOfNames</value>
</constructor-arg>
```

Using the settings above, roles will be created like this

Notice how all of the objectClasses defined by the RoleObjectClasses attribute have been created in the LDAP

GroupObjectClasses

```
<constructor-arg index="20">
  <value>top,groupOfUniqueNames</value>
</constructor-arg>
```

Using the settings above, groups will be created like this

Notice how all of the objectClasses defined by the GroupObjectClasses attribute have been created in the LDAP

UserObjectClasses

```
<constructor-arg index="21">
  <value>top,groupOfUniqueNames</value>
</constructor-arg>
```

Using the settings above users will be created like this

Notice how all of the objectClasses defined by the UserObjectClasses attribute have been created in the LDAP

Naming Attributes

- RoleIdAttribute
- GroupIdAttribute
- UserIdAttribute

The attributes above allow you to define the naming attribute for roles / groups and users. When an object is created in the directory, a naming attribute needs to be specified. The naming attribute is the attribute that uniquely defines the object within its subdirectory.

In the screenshot below, you can see that the admin user in rootOrg/People is defined by **cn=admin**.

cn is the naming attribute for the user object, as no 2 admin users can exist in the rootOrg/People subdirectory

By changing the property, you can control the way Jetspeed creates user objects.

RoleIdAttribute

```
<constructor-arg index="22">
  <value>cn</value>
</constructor-arg>
```

GroupIdAttribute

```
<constructor-arg index="23">
  <value>cn</value>
</constructor-arg>
```

UserIdAttribute

```
<constructor-arg index="24">
  <value>uid</value>
</constructor-arg>
```

In the screenshot below, users have the **uid** attribute as their naming attribute

UserId Attribute

When Jetspeed attempts to find a user, it does so based on the `userId` provided by the user in the login screen. This `userId` needs to be defined on the object through a specific attribute. Most LDAP servers have a `uid` attribute that defines the username of the user in the LDAP.

When Jetspeed builds a `userPrincipal` internally, it will use the attribute corresponding to the value of the `userUidAttribute`.

userUidAttribute

```
<constructor-arg index="25">
  <value>cn</value>
</constructor-arg>
```

This property is used in conjunction with the `UidAttribute`

```
UserIdAttribute=cn
UidAttribute=uid
```

membershipSearchScope

Jetspeed allows you to customize the search scope when it comes to membership

```
<constructor-arg index="26">
  <value>cn</value>
</constructor-arg>
```

RequiredAttributeClasses

Some `ObjectClasses` force you to add specific attributes on the object before storing it in the directory. Jetspeed allows you to specify these attributes for roles and groups through the following properties

- `roleObjectRequiredAttributeClasses`
- `groupObjectRequiredAttributeClasses`

For example, most LDAP schemas force you to have a **uniqueMember** attribute on a **groupOfUniqueNames** object.

Since Jetspeed needs to be able to create empty roles through the administrative console, an empty **uniqueMember** attribute needs to be set upon role creation.

This is handled internally by Jetspeed and can be customized by setting the **groupObjectRequiredAttributeClasses** property.

roleObjectRequiredAttributeClasses

The following property specifies that if a role is created, an empty **member** attribute will be created on the role object in order to comply with the LDAP schema.

```
<constructor-arg index="30">
  <value>member</value>
</constructor-arg>
```

groupObjectRequiredAttributeClasses

The following property specifies that if a group is created, an empty **uniqueMember** attribute will be created on the group object in order to comply with the LDAP schema.

```
<constructor-arg index="31">
  <value>uniqueMember</value>
</constructor-arg>
```

LDAP Object attributes

Jetspeed has an administrative console that allows an administrator to create groups, roles and users in the directory. The Jetspeed LDAP configuration has 3 properties that can manipulate the creation of those objects

- userAttributes
- roleAttributes
- groupAttributes

Each property accepts a comma separated list of attributes. Placeholders can be used in the attribute value.

userAttributes

For example, the following **userAttributes** value will make sure that when Jetspeed creates a user in the directory, the **sn**, **cn** and **uid** attribute will be created containing the username of the user.

```
<constructor-arg index="32">
  <value>sn={u},cn={u}</value>
</constructor-arg>
```

roleAttributes

For example, the following **roleAttributes** value will make sure that when Jetspeed creates a user in the directory, the **cn** attribute will be created containing the username of the user.

```
<constructor-arg index="33">
  <value>cn={u}</value>
</constructor-arg>
```

groupAttributes

For example, the following **groupAttributes** value will make sure that when Jetspeed creates a user in the

directory, the **cn** attribute will be created containing the username of the user.

```
<constructor-arg index="34">
  <value>cn={u}</value>
</constructor-arg>
```

LDAP Password attributes

During runtime, Jetspeed needs to read the password that is associated with a user. Jetspeed needs to know the attribute on the user object that contains the password. The **userPasswordAttribute** property defines the LDAP attribute that contains the password of the user

```
<constructor-arg index="35">
  <value>cn={u}</value>
</constructor-arg>
```

Known Attributes

When Jetspeed performs LDAP queries, we need to specify the set of attributes that we want to return. This is done by specifying a comma separated value of LDAP attributes in the **knowAttributes** property

```
<constructor-arg index="36">
<value>cn,sn,o,uid,ou,objectClass,userPassvalue,member,uniqueMember,memberOf</value>
</constructor-arg>
```

2.1 **Tasks**

Tasks

Currently this is just a listing of tasks.

- Remove unused classes.